This **Voluntary Compliance Plan** (VCP) calls for the LEA to address the areas found to be deficient and, at a minimum, perform the prescribed remedial action. To complete the Plan: 1.) Provide Specific Comments or Identify any additional efforts to effect remediation; 2.) Identify the individual(s) responsible to address the issue; 3.) Project a targeted completion date for each item listed, and 4) Provide a statement of how each remedy will be reported and verified to RIDE.

Sample School

AND ACCEPTANCE			Signature, Title, and Date	
AREA OF INVESTIGATION AND	1) Provide Specific Comments or	2) Identify Individual(s)	3) Provide	4) Provide a statement of how each
PRESCRIBED REMEDIAL ACTION	Identify Additional Efforts	Responsible to	Targeted	remedy will be reported and
	to Effect Remediation	Address the Issue	Completion	verified to RIDE (REQUIRED)
	(REQUIRED)	(REQUIRED)	Date	
			(REQUIRED)	
STANDARD 1: ADMINISTRATIVE				
II. Annual Notice				
Required Corrective Action(s)	Admission criteria &	Principal	• 5/30/2013	Email revised annual notice to RIDE
 Update the existing annual notice of 	additional statement will be	Frincipal	3/30/2013	Email revised affidat flotice to RIDL
nondiscrimination by adding admissions	added to annual notice of			
criteria to the document. In addition,	nondiscrimination.			
include a statement such as "a lack of				
English language skills will not be a				
barrier to admission and participation in				
the career and technical education				
programs of the school."				
Disseminate the annual notice of				
nondiscrimination prior to the beginning	 Notice will be disseminated 	 Principal 		
of the school year to the general public in	prior to the start of school		• 8/1/2013	Send Publications to RIDE
media designed to reach the general	year in appropriate publications, including a			Link to updated website will be emailed to RIDE
public within the district's service area	newspaper notice and on			Citalica to RIDE
	school website			
including the district's website. The				
method of dissemination must ensure				
that the notice will reach students,				
employees, applicants and the general				
public.				

This **Voluntary Compliance Plan** (VCP) calls for the LEA to address the areas found to be deficient and, at a minimum, perform the prescribed remedial action. To complete the Plan: 1.) Provide Specific Comments or Identify any additional efforts to effect remediation; 2.) Identify the individual(s) responsible to address the issue; 3.) Project a targeted completion date for each item listed, and 4) Provide a statement of how each remedy will be reported and verified to RIDE.

AREA OF INVESTIGATION AND PRESCRIBED REMEDIAL ACTION	Provide Specific Comments or Identify Additional Efforts to Effect Remediation (REQUIRED)	2) Identify Individual(s) Responsible to Address the Issue (REQUIRED)	3) Provide Targeted Completion Date (REQUIRED)	4) Provide a statement of how each remedy will be reported and verified to RIDE (REQUIRED)
 III. Continuous Notice Required Corrective Action(s) Create continuous notice of nondiscrimination that includes a nondiscriminatory statement regarding race, color, national origin, disability, or age (recommended but not required); the title, address and telephone number of person(s) designated to coordinate Title IX and Section 504 compliance Add the Boy Scouts of America as an identified youth group to which the school/district will provide equal access. Publish notice (at a minimum) in all handbooks, catalogs, brochures and on the school/district website, and post throughout school in highly visible locations. 	 Continuous notice will be updated to include a nondiscriminatory statement regarding race, color, national origin, disability, and age; the title, address and telephone number of person(s) designated to coordinate Title IX and Section 504 compliance Notice will include BSA as an identified youth group to which the school/district will provide equal access. Notice will be published in school handbooks, catalogs, and brochures; on the school's website, and will be posted throughout school in admin office, hallways, cafeteria, and counselor office. 	 Assistant Principal Assistant Principal Assistant Principal 	Summer 2013 Summer 2013	 Revised continuous notice will be emailed to RIDE upon completion for approval (bullets #1 and #2) Publications with updated continuous notice will be sent to RIDE
 IV. Title II, Title IX and Section 504 Coordinator(s) Required Corrective Action(s) Update student and staff publications to include the civil rights coordinator's title, address and phone number. Display the civil rights coordinator title and contact information in school locations that are highly visible to students. 	 Staff publications will be updated to include civil rights coordinator's title, address and phone number Civil Rights coordinator contact information will be displayed throughout schools in admin office, hallways, cafeteria, and counselor office. 	PrincipalPrincipal	Summer 2014	

This **Voluntary Compliance Plan** (VCP) calls for the LEA to address the areas found to be deficient and, at a minimum, perform the prescribed remedial action. To complete the Plan: 1.) Provide Specific Comments or Identify any additional efforts to effect remediation; 2.) Identify the individual(s) responsible to address the issue; 3.) Project a targeted completion date for each item listed, and 4) Provide a statement of how each remedy will be reported and verified to RIDE.

AREA OF INVESTIGATION AND PRESCRIBED REMEDIAL ACTION	Provide Specific Comments or Identify Additional Efforts to Effect Remediation (REQUIRED)	2) Identify Individual(s) Responsible to Address the Issue (REQUIRED)	3) Provide Targeted Completion Date (REQUIRED)	Provide a statement of how each remedy will be reported and verified to RIDE (REQUIRED)
Standard 6: PROGRAM ACCESSIBILITY				
I Existing (readily accessible) facility under Section 504-Built or altered beginning June 3, 1977, or earlier				
Required Corrective Actions:				
The ramped areas in front of accessible entrances will be removed, install new concrete landing and ramp.				
 Missing signage and non-compliant signage will be replaced with compliant signage. 				
 The ramped areas in front of accessible entrances will be removed, install new concrete landing and ramp level with door threshold (to eliminate non- compliant threshold). 				
 The ramped areas in front of accessible entrances will be removed, install new concrete landing and ramp. 				
Replace knobs and non-compliant door hardware with code compliant lever hardware.				

This **Voluntary Compliance Plan** (VCP) calls for the LEA to address the areas found to be deficient and, at a minimum, perform the prescribed remedial action. To complete the Plan: 1.) Provide Specific Comments or Identify any additional efforts to effect remediation; 2.) Identify the individual(s) responsible to address the issue; 3.) Project a targeted completion date for each item listed, and 4) Provide a statement of how each remedy will be reported and verified to RIDE.

AREA OF INVESTIGATION AND PRESCRIBED REMEDIAL ACTION	Provide Specific Comments or Identify Additional Efforts to Effect Remediation (REQUIRED)	2) Identify Individual(s) Responsible to Address the Issue (REQUIRED)	3) Provide Targeted Completion Date (REQUIRED)	4) Provide a statement of how each remedy will be reported and verified to RIDE (REQUIRED)
Standard 6: PROGRAM ACCESSIBILITY				
 Required Corrective Actions (Continued): Missing signage and non-compliant signage will be replaced with compliant signage. Replace counters, tables and sinks with code compliant counters, tables and sinks, including knee space and approach. The specific needs of each student are met through the IEP process regarding furniture. Replace non-compliant water coolers with compliant water coolers to meet code. Install code compliant electric door operators at doors where maneuvering clearances cannot easily be altered to meet code. Restroom A: Replace non-compliant toilet fixture to correct location, remove/relocate obstructions to provide compliant width and turning radius, 				
replace non-compliant grab bars in code compliant location and install pipe wrap insulation at sink.				